



*NBS standard time.
Vol. 17, NO 3, Pg. 10.*

INDEX

VOLUMES 14-16

SEPTEMBER, 1962—AUGUST, 1965

(A supplement to the index for vols. 1-13)

PART I

CHRONOLOGICAL INDEX

VOLUME 14, SEPT., 1962—AUG., 1963

No. and Date of Issue	Title and Author
No. 1 Sept., 1962	A New Generation of High-Speed Frequency Counters, <i>Charles M. Hill and Tracy S. Storer</i> Counter Plug-ins
No. 2 Oct., 1962	A New Pulse Generator with Very Fast Rise Time, <i>Charles O. Forge</i> Measuring Small, Stray L and C with Nano-second Pulses, <i>Charles O. Forge</i>
No. 3-4 Nov.-Dec., 1962	A Solid-State Operational Amplifier of High Stability, <i>Robert J. Strehlow</i> Amplifier Plug-ins A Portable Frequency-Response Test Set, <i>Don A. Wick</i>
No. 5-6 Jan.-Feb., 1963	A Versatile Wave Analyzer for the 1 kc to 1.5 Mc Range, <i>Stanley McCarthy</i> A Quick, Convenient Method for Measuring Loop Gain, <i>Philip Spohn</i>
No. 7-8 Mar.-Apr., 1963	A New Microwave Modulator, <i>Nicholas J. Kuhn</i> A Convenient Probe for Sensing Magnetic Fields, <i>Arndt Bergh</i> Using the Smith Chart with Negative Real-Part Impedances or Admittances, <i>Luiz Peregrino and Harley L. Halverson</i> New Submultiple Prefixes
No. 9-10 May-June, 1963	A New Multi-Function Voltmeter for General Laboratory Use, <i>Paul G. Baird</i> A Guarded Amplifier for Increasing Digital Voltmeter Sensitivity, <i>Donald H. Jenkins</i>

No. and Date of Issue

Title and Author

No. 11 July, 1963	An 800-2400 Mc Signal Generator with Automatically-Leveled Output Power, <i>James R. Ferrell</i> A Variable-Frequency AC Power Supply for General-Purpose Testing, <i>Duane P. Lingafelter</i> Acknowledgment (Negative Real-Part Impedances and the Smith Chart)
No. 12 Aug., 1963	A Wide-Range RC Oscillator with Push-Button Frequency Selection, <i>Robert W. Colpitts</i> Special Push-Button Audio Oscillator for Telephone Testing, <i>Robert W. Colpitts</i> A Tunnel-Diode Pulse Generator with 0.1 Nano-second Risetime, <i>Roderick Carlson</i> Visit <i>—hp—</i> at WESCON

VOLUME 15, SEPT., 1963—AUG., 1964

No. 1 Sept., 1963	A Basic New Wide-Band Oscilloscope with Planned Anti-Obsolescence, <i>Richard E. Monnier</i> The Time Domain Reflectometer, <i>Lee R. Moffitt</i> The Radial Field Cathode-Ray Tube Amplifier Plug-ins Sweep Generator Plug-ins
No. 2 Oct., 1963	A General Purpose Pulse Generator Producing High-Power, Fast-Rise Pulses, <i>George Kan and Johan Blokker</i> A Clip-On Current Probe for Wide-Band Oscilloscope Measurements, <i>John G. Tatum</i> NBS Inaugurates Higher Power VLF Standard Frequency Broadcasts

**WHEN REQUESTING BACK ISSUES, PLEASE
SPECIFY BY NUMBER AND DATE OF ISSUE.**

CHRONOLOGICAL INDEX (Continued)

No. and Date of Issue	Title and Author	No. and Date of Issue	Title and Author
No. 3 Nov., 1963	A New Multi-Purpose Digital Voltmeter, <i>David S. Cochran</i> and <i>Charles W. Near</i> Voltmeter Plug-ins A New Coaxial Crystal Detector with Extremely Flat Frequency Response, <i>Russell B. Riley</i> Tangential Sensitivity of the Model 423A Detector	No. 10 June, 1964	Precision Plug-in Frequency Measurements to 3000 Mc, <i>Charles M. Hill</i> Changes in Standard Broadcasts A New Oscilloscope Plug-in with Four 40-Mc Channels, <i>James R. Pettit</i>
No. 4 Dec., 1963	A New Series of Microwave Sweep Oscillators with Flexible Modulation and Leveling, <i>Robert L. Dudley</i> Examination of the Atomic Spectral Lines of a Cesium Beam Tube with the -hp- Frequency Synthesizer, <i>Leonard S. Cutler</i>	No. 11 July, 1964	A New Performance of the "Flying Clock" Experiment, <i>Alan S. Bagley</i> and <i>Leonard S. Cutler</i> A Measurement of the Ratio of the Zero-Field Hyperfine Splittings of Cesium 133 and Hydrogen, <i>Leonard S. Cutler</i> Plant Distribution of a One-Volt DC Standard, <i>Richard Bean</i>
No. 5 Jan., 1964	An RMS-Responding Voltmeter with High Crest Factor Rating, <i>Gregory Justice</i> The Significance of Crest Factor Long-Term Stability of the -hp- 130C Sensitive DC-500 kc Oscilloscope, <i>John Strathman</i> Precision of the United States Frequency Standard -hp- Factory Training Seminars	No. 12 Aug., 1964	A New Microwave Spectrum Analyzer, <i>Harley L. Halverson</i> Spectrum Signatures EMC/RFI Broad Spectrum Displays Spectrum Surveillance
VOLUME 16, SEPT., 1964—AUG., 1965			
No. 6 Feb., 1964	Time Domain Reflectometry, <i>B. M. Oliver</i> Time Domain Reflectometry with a Plug-in for the 140A Oscilloscope TDR with -hp- Sampling Scopes	No. 1 Sept., 1964	Our Preparations at Hewlett-Packard for the Instrumentation of Tomorrow, <i>Frank J. Burkhard</i>
No. 7 Mar., 1964	Broadband, Solid-State Amplifiers, <i>Alfred F. Gort</i> Papers Sought for Conference on Automotive Electronics Modifications in NBS Standard Frequency and Time Broadcasts An Air-Bearing Spindle for Highly Precise Machining, <i>Edward H. Phillips</i> International System of Units	No. 2 Oct., 1964	A VLF Comparator for Relating Local Frequency to U. S. Standards, <i>Dexter Hartke</i> Frequency Calibration Using LF Standard Broadcasts Tunable VLF Comparator, <i>Albert Benjaminson</i> and <i>Cleaborn Riggins</i>
No. 8 Apr., 1964	A New Instrument for Measuring Microwave Frequencies with Counter Accuracy, <i>Rudolph F. Pasos</i> A New DC-4000 Mc Sampling 'Scope Plug-in with Signal Feed-Through Capability, <i>Wayne M. Grove</i> New Time Information Added to WWV/WWVH Broadcasts Crest Factor and Pulse Trains . . .	No. 3 Nov., 1964	Absorption Modulators for Simple or Complex Microwave Modulation, <i>Douglas A. Gray</i> New Microwave Signal Sources with Signal Generator Capabilities, <i>Douglas A. Gray</i>
No. 9 May, 1964	A 0-50 Mc Frequency Synthesizer with Excellent Stability, Fast Switching, and Fine Resolution, <i>Victor E Van Duzer</i> Digital Frequency Synthesis, <i>Bernard M. Oliver</i> 1 and 10 Mc Synthesizers Notes on the Application of Frequency Synthesizers, <i>Victor E Van Duzer</i> Spectrum Extension to Above 500 Mc	No. 4 Dec., 1964	Microwave Harmonic Generation and Nanosecond Pulse Generation with the Step-Recovery Diode, <i>Robert D. Hall</i> and <i>Stewart M. Kraukauer</i> <i>hpa</i> Diode Application Notes
		No. 5 Jan., 1965	A New Instrumentation-Class Tape Transport of Simplified Design, <i>Walter T. Selsted</i> New Tape Transport in Sanborn Magnetic Data Recording Systems Bernard Oliver Elected IEEE President Senior Staff Engineers Appointed by -hp- Board of Directors
		No. 6 Feb., 1965	New Coaxial Couplers for Reflectometers, Detection, and Monitoring, <i>Robert Prickett</i> New Waveguide Crystal Detectors with Flat Response, <i>Robert Prickett</i> and <i>Lawrence Renihan</i> Atomic Time Adopted for WWVB

CHRONOLOGICAL INDEX (Continued)

No. and Date of Issue	Title and Author	No. and Date of Issue	Title and Author
No. 7 Mar., 1965	The Linear Quartz Thermometer — a New Tool for Measuring Absolute and Difference Temperatures, <i>Albert Benjaminson</i>	No. 10 June, 1965	A New 10 c/s–10 Mc/s Test Oscillator with Enhanced Output Capabilities, <i>Myles A. Judd</i>
	The Linear Coefficient Quartz Resonator, <i>Donald L. Hammond</i>		A Low-Distortion Amplifier Supplying 10 Watts Peak from DC to Beyond 1 Mc/s, <i>Robert J. Strehlow</i>
	The Influence of Transistor Parameters on Transistor Noise Performance — a Simplified Presentation, <i>Rolly Hassun</i> and <i>Michael C. Swiontek</i>		Cycles Per Second and Hertz, <i>Editor</i>
No. 8 April, 1965	Correlating Time from Europe to Asia with Flying Clocks, <i>LaThare N. Bodily</i>	No. 11 July, 1965	A Low-Frequency Oscillator with Variable-Phase Outputs for Gain-Phase Evaluations, <i>Richard Crawford</i>
			Extraterrestrial and Ionospheric Sounding with Synthesized Frequency Sweeps, <i>G. H. Barry</i> and <i>R. B. Fenwick</i> , Radioscience Laboratory, Stanford University
No. 9 May, 1965	A Combined DC Voltage Standard and Differential Voltmeter for Precise Calibration Work, <i>Robert E. Watson</i>		Voltage and TDR Measurements to be Discussed at WESCON/65 Technical Session
	Phase Comparisons with LF Standard Broadcasts Controlled by “Atomic Time”	No. 12 Aug., 1965	A Fast-Reading Digital Voltmeter with 0.005% Accuracy and Integrating Capability, <i>William McCullough</i>
	Time Phase Adjustment		Guarded Measurements with a Floating Voltmeter
	Tone Transmissions Changed		Cable Testing with Time Domain Reflectometry

PART II

SUBJECT INDEX

Issue		A	Model	Issue		Model	
Vol.	No.			Vol.	No.		
16	3	Absorption modulators, P-I-N.....	8730 Series	14	3-4	Amplifier, operational.....	DY-2460A
15	5	AC current measurements, rms.....	3400A	16	9	Amplifier, precision.....	740A
15	2	AC current measurements, wide-band	1110A	16	10	Amplifier, wideband, power.....	467A
14	11	AC power supply, variable frequency	4301A	15	7	Amplifier, pulse.....	462A
14	9-10	AC voltage measurements, high frequency	410C	14	1	Amplifier, video plug-in.....	5261A
15	5	AC voltage measurements, rms.....	3400A	15	12	Analyzer, spectrum.....	8551A/851A
15	8	AC voltage measurements, crest factor	(3400A)	14	5-6	Analyzer, wave.....	310A
15	1	Accessories, oscilloscope.....	(140A)	15	11	Atomic clocks.....	(5060A)
15	2	” ”	1110A	16	8	” ”	(5060A)
15	8	” ”	1103A	15	4	Atomic spectral lines, examination of	(5100A/5110A)
14	5-6	Accessory probes.....	(AC-21F)	16	6	Atomic time on WWVB.....	—
14	7-8	” ”	3529A	16	9	Atomic Time LF phase comparisons	117A
15	2	” ”	1110A	14	3-4	Audio Oscillator, battery-powered	HO7-204B
15	7	Air-bearing spindle.....	—	B			
15	7	Amplifier, broadband.....	461A	14	3-4	Battery-powered audio oscillator..	HO7-204B
15	2	Amplifier, current probe.....	1111A	15	7	Broadband amplifier.....	461A
14	9-10	Amplifier, guarded data.....	DY-2411A				

SUBJECT INDEX (Continued)

[illegible]

PART II

SUBJECT INDEX (Continued)

Issue Vol. No.		Model	Issue Vol. No.	N	Model
16	10	Hertz, cycles per second and.....	16	4	Nanosecond pulse generation.....
15	2	High power pulse generator.....	15	7	National Bureau of Standards
15	2	Higher power VLF, NBS.....			broadcast changes.....
16	1	Hewlett-Packard, preparations for	15	8	" " "
		the future.....	15	10	" " "
16	5	-hp- board appoints senior staff	16	6	" " "
		engineers	16	9	" " "
16	11	-hp- sessions at WESCON '65.....	15	10	Navy, VLF broadcasts.....
			15	2	NBS higher power VLF.....
			16	9	(NBS) Time phase adjustments....
			16	9	(NBS) Tone transmissions
					changed
			16	7	Noise performance, influence of
					transistors on.....
I					
16	5	IEEE, Oliver elected president.....			
16	7	Influence of transistors on noise....			
16	12	Integrating/potentiometric digital			
		voltmeter			
15	7	International system of units.....			
16	10	International system of units,			
		Hertz			
16	11	Ionospheric sounding.....			
		(5100A/5110A)			
L					
14	2	L and C, stray, measurements of....			
15	4	Leveling, Sweep Oscillator with....			
14	11	Leveled output power, signal			
		generator			
16	7	Linear coefficient of quartz.....			
16	11	Linear frequency sweep,			
		synthesized			
16	7	Linear Thermometer, quartz.....			
15	5	Long-term stability, oscilloscope....			
16	11	Low-frequency Function			
		Generator			
M					
16	5	Magnetic-tape Recorders.....			
14	7-8	Magnetometer Probe			
15	7	Matching transformer.....			
15	8	Microwave frequency,			
		measurement of.....			
16	4	Microwave harmonic generation....			
14	7-8	Microwave Modulator.....			
16	3	Microwave Signal Sources.....			
15	12	Microwave Spectrum Analyzer.....			
14	7-8	Milliammeter			
15	4	Microwave Sweep Oscillator.....			
16	3	Modulator			
14	7-8	Modulator, P-I-N diode.....			
16	3	" " "			
14	9-10	Multi-function Voltmeter.....			
15	3	Multi-purpose Digital Voltmeter..			
O					
16	5	Oliver, B. M., elected IEEE			
		president			
15	11	One-volt DC plant standard.....			
14	3-4	Operational Amplifier.....			
14	3-4	Oscillator, audio, battery-powered			
16	11	Oscillator, low frequency, variable			
		phase			
14	12	Oscillator, RC, push-button.....			
15	4	Oscillator, sweep, microwave.....			
16	10	Oscillator, test, 10 c/s-10 Mc/s....			
15	8	Oscillator, transfer.....			
15	1	Oscilloscope plug-in, TDR.....			
15	6	" " "			
15	8	Oscilloscope plug-in, dual trace			
		sampling			
15	10	Oscilloscope plug-in, 4-channel....			
15	5	Oscilloscope, stability of.....			
15	1	Oscilloscope, universal.....			
15	8	Oscilloscope trigger countdown....			
P					
15	8	Phase-locked transfer oscillator....			
16	11	Phase measurements, low			
		frequency			
14	7-8	P-I-N Diode Modulator.....			
16	3	" " "			
15	1	Plug-in amplifiers, oscilloscope....			
15	10	Plug-in amplifiers, 4-channel.....			
14	1	Plug-in, frequency counter.....			
15	10	" " "			
14	3-4	Plug-in, operational amplifier.....			
15	6	Plug-in, TDR, oscilloscope.....			
15	6	" " "			
15	8	Plug-in, TDR, sampling scope.....			
15	3	Plug-in, voltmeter.....			
16	10	Power Amplifier, wideband.....			
14	7-8	Power leveling, RF.....			
14	11	" " "			
15	4	" " "			

SUBJECT INDEX (Continued)

16	7	Quartz resonator, linear.....	—
16	7	Quartz thermometer.....	2800A, 2801A

16	11	Radar, FM, for sounding.....	—
15	11	Ratio of Cesium 133 and Hydrogen	(5060A)
16	5	Recording systems, magnetic tape	3900
15	11	Reference voltage, distribution of..	(2460A)
15	6	Reflectometer plug-in, time domain	1415A
16	6	Reflectometers, coaxial.....	774D, etc.
15	6	Reflectometry, time domain.....	—
16	12	" "	(1415A)
14	9-10	Resistance measurements.....	410C
15	5	RMS-responding voltmeter.....	3400A
15	8	RMS voltage measurements, crest factor	(3400A)

Issue Vol. No.		Model
15	12	Spectrum Analyzer..... 8551A/851A
15	9	Spectrum extension..... 10511A
15	12	Spectrum signatures..... (8551/851A)
15	12	Spectrum surveillance..... (8551/851A)
15	7	Spindle, air-bearing..... —
15	5	Stability of $-hp-$ 130C, long-term.. 130C
16	6	Standard broadcasts, atomic time.. —
15	2	” ” VLF..... —
15	7	” ” changes..... —
15	10	” ” ”..... —
16	9	” ” ”..... —
16	2	Standard broadcasts, phase comparisons to..... 117A
16	9	” ” ”..... ”
15	8	Standard broadcasts, time changes —
16	9	Standard, DC..... 740A
15	11	Standard voltage, distribution of... —
16	4	Step-recovery diodes..... —
14	2	Stray L and C measurement..... (215A)
14	7-8	Submultiple prefixes..... —
16	11	Sweep-frequency ionospheric sounding (5100A/5110A)
15	4	Sweep oscillator, microwave..... 690 Series
16	11	Synthesized frequency sweep..... (5100A/5110A)
15	9	Synthesizer, frequency..... 5100A/5110A
15	4	Synthesizer, frequency, application (5100A/5110A)
15	9	” ”..... (5100A/5110A)
15	7	System of units, international..... —
16	10	System of units, use of Hertz..... —

—6—

PART II

SUBJECT INDEX (Continued)

Issue Vol. No.			Model	Issue Vol. No.			Model
15	8	Trigger count down, oscilloscope.....	1103A	16	9	Voltage calibration.....	740A
14	12	Tunnel-diode pulse generator.....	213B	14	9-10	Voltage measurements, AC high-frequency	410C
U							
15	7	Units, international system of.....	—	15	5	Voltage measurements, AC rms....	3400A
15	5	U. S. frequency standard, precision of.....	—	16	9	Voltage measurements, DC, differential	740A
V							
16	11	Variable Phase Function Generator	203A	15	3	Voltage measurements, DC.....	3440A
16	2	VLF broadcasts for frequency calibration	(117A)	16	12	Voltage measurements, DC guarded	3460A
15	2	VLF broadcasts, higher power.....	—	16	9	Voltage standard, DC.....	740A
16	2	VLF comparator.....	117A	15	11	Voltage standard, distribution of..	(2460A)
16	9	” ”	”	16	9	Voltmeter, differential.....	740A
16	2	VLF comparator, tunable.....	DY-2365A	16	12	Voltmeter, guarded digital.....	3460A
W							
				14	5-6	Wave Analyzer 1 kc/s to 1.5 Mc/s	310A
				16	6	Waveguide crystal detectors.....	424A
				16	11	WESCON '65, technical session....	—

PART III

INDEX BY MODEL NUMBER

(Model Numbers of Dymec, hpa, and Sanborn Instruments listed at end)

Model	Instrument	Issue Vol. No.	Model	Instrument	Issue Vol. No.
117A	VLF Comparator.....	16 2	423A	Crystal Detector	15 3
		16 9	424A	Waveguide Crystal Detectors.....	16 6
130C	DC-500 KC Oscilloscope.....	15 5	428B	Milliammeter	14 7-8
140A	Universal Oscilloscope	15 1	461A	Broadband Amplifier.....	15 7
188A	Dual Trace Amplifier, Sampling....	15 6	462A	Pulse Amplifier	15 7
		15 8	467A	Power Amplifier	16 10
203A	Variable Phase Function Generator	16 11	651A	Test Oscillator, 10 c/s-10 Mc/s.....	16 10
HO7-204B	Audio Oscillator, battery-powered	14 3-4	691A, B		
213B	Tunnel-Diode Pulse Generator.....	14 12	to	Microwave Sweep Oscillator.....	15 4
214A	Pulse Generator.....	15 2	697A		
215A	Fast rise Generator.....	14 2	740A	DC Standard/Differential Voltmeter	16 9
241A	Push-Button Oscillator.....	14 12	774D		
HO1-241A	Push-Button Oscillator.....	14 12	to	Dual Directional Coupler.....	16 6
310A	Wave Analyzer, 1 kc/s to 1.5 Mc/s	14 5-6	777D		
353A	Patch Panel, Telephone Test Set....	14 3-4	X781A	Directional Detector.....	16 6
			786D		
403B	AC Voltmeter.....	14 3-4	to	Directional Detector	16 6
410C	Electronic Voltmeter	14 9-10	789C		

PART III

INDEX BY MODEL NUMBER (Continued)

Model	Instrument	Issue Vol.	No.	Model	Instrument	Issue Vol.	No.
796D	Directional Coupler	16	6	8614A	800-2400 Mc Signal Generator.....	14	11
797D	Directional Coupler	16	6	8614B	800-2400 Mc/s Signal Source.....	16	3
798C	Directional Coupler	16	6	8616B	1800-4500 Mc/s Signal Source.....	16	3
851A	Spectrum Analyzer Display			8714A	P-I-N Diode Modulator.....	14	7-8
	Section	15	12	8731A, B			
				to	P-I-N Diode Modulator.....	16	3
1400A	Plug-in Differential Amplifier.....	15	1	8735A, B			
1401A	Plug-in Dual Trace Amplifier.....	15	1				
1402A	Plug-in Dual Trace Amplifier.....	15	1				
1403A	Plug-in AC Differential Amplifier	15	1				
1415A	Time Domain Reflectometer.....	15	1				
		15	6				
1420A	Plug-in Time Base Generator.....	15	1	AC-21F	AC Current Probe.....	14	5-6
1421A	Plug-in Time Base and Delay			1103A	Trigger Countdown.....	15	8
	Generator	15	1	1110A	AC Current Probe.....	15	2
1754A	Plug-in Four-Channel Amplifier...	15	10	1111A	Amplifier (Current Probe).....	15	2
2590A	Microwave Frequency Converter..	15	8	11038A	50-200 Ohm Matching		
					Transformer	15	7
3400A	RMS Voltmeter	15	5	11048A	50-Ohm Feedthrough Termination	15	7
3440A	DC Digital Voltmeter.....	15	3				
3441A	Plug-in Manual Range Selector...	15	3				
3442A	Plug-in Automatic Range Selector	15	3				
3460A	Guarded DC Digital Voltmeter.....	16	12	DY-2015	Data Acquisition Systems.....	16	12
3520A	Tape Transport	16	5	DY-2365B	Tunable VLF Phase Comparator..	16	2
3521A	Tape Transport	16	5	DY-2401A	Integrating Digital Voltmeter.....	14	9-10
3529A	Magnetometer Probe	14	7-8			15	11
3550A	Frequency Response Test Set.....	14	3-4	DY-2411A	Guarded Data Amplifier.....	14	9-10
4301A	Variable Frequency Power Supply	14	11	DY-2460A	Operational Amplifier.....	14	3-4
				DY-2460A	Operational Amplifier,		
5060A	Cesium Beam Frequency	15	4		application	15	11
	Standard	15	11	DY-2461A-	Amplifier Plug-Ins.....	14	3-4
		16	8	DY-2800A	Quartz Thermometer.....	16	7
5100A/5110A	Frequency Synthesizer	15	4	DY-2801A	Quartz Thermometer.....	16	7
		15	9				
		16	11				
5243L	20-Mc Electronic Counter.....	14	1				
5245L	50-Mc Electronic Counter.....	14	1				
5251A	Plug-in Frequency Converter,						
	20-100 Mc/s	14	1	0103			
5253A	Plug-in Frequency Converter,			0106			
	100-512 Mc/s	14	1	0112	Step Recovery Diode.....	16	4
5253B	Plug-in Frequency Converter,			0151			
	50-500 Mc/s	15	10	0253			
5254A	Plug-in Frequency Converter,						
	0.3-3.0 Gc/s	15	10				
5261A	Plug-in Video Amplifier.....	14	1				
5262A	Plug-in Time Interval Unit.....	14	1				
8403A	Modulator	16	3	3900 Series	Magnetic Data Recording		
8551A	Spectrum Analyzer RF Section.....	15	12		Systems	16	5

ACCESSORIES

DYMEC MODEL NUMBERS

hpa MODEL NUMBERS

SANBORN MODEL NUMBERS