

HEWLETT-PACKARD JOURNAL

TECHNICAL INFORMATION FROM THE LABORATORIES OF THE HEWLETT-PACKARD COMPANY PUBLISHED AT 1501 PAGE MILL ROAD, PALO ALTO, CALIFORNIA 94304

INDEX

VOLUMES 17, 18 and 19

September 1965 through August 1968

PART I: Chronological Index

VOLUME 17, September 1965 through August 1966

Month / Year	Title and Author	Month / Year	Title and Author
Sept. 1965	A Precision Analog Voltohmmeter with Automatic Ranging, <i>James F. Kistler</i> A Simple Method for Recording Fast and Low-Level Waveforms, <i>John N. Deans</i>		A Technique for Making Ultra-Precise Measurements of Microwave Frequency Stability, <i>James A. Marshall</i>
Oct. 1965	A Precision AC-DC Differential Voltmeter/DC Standard with High Versatility, <i>William G. Smith</i> A 200 kc/s—500 Mc/s Frequency Conversion Unit for Mixing, Modulating, Phase-Detecting and Level-Controlling, <i>Victor E. Van Duzer</i> 500 kc/s—500 Mc/s Frequency Doubler, <i>Victor E. Van Duzer</i>	Dec. 1965	Using the Hot Carrier Diode as a Detector, <i>Hans O. Sorensen</i> The 'Hot Carrier' Diode as an Ultra-Fast Detector, Mixer and Switch Hot Carrier Diodes New Standard Broadcast Frequency Offset for 1966 Time Pulse Adjustments Using the Hot Carrier Diode as a Microwave Mixer, <i>Milton Crane</i>
Nov. 1965	A Voltage-Programmable Low-Frequency Function Generator with Plug-in Versatility, <i>Robert L. Dudley</i> 'Hertz' Adopted by IEEE The Trigger Phase-Lock Plug-in, <i>Robert L. Dudley</i> NBS Standard Frequency and Time Broadcast Schedules	Jan. 1966	A New High-Stability AC Voltmeter with a 10-MHz Frequency Range and 1% Accuracy, <i>Reid J. Gardner</i> Measurement of Liquid Layer Thickness with Time Domain Reflectometry, <i>James Brockmeier</i> Stratospheric Warming

ALTHOUGH MANY BACK ISSUES ARE OUT OF PRINT,
REQUESTS WILL BE FILLED WHENEVER POSSIBLE.

PART I Chronological Index (continued)

Month / Year	Title and Author	Month / Year	Title and Author
Feb. 1966	A New TV Waveform Oscilloscope for Precision Measurements of Video Test Signals, <i>Richard E. Monnier and Ralph R. Reiser</i> Continuous TV Monitoring with Vertical-Interval Test Signals, <i>Richard E. Monnier and Ralph R. Reiser</i> The 'VITS' Program for Intercity Television Network Testing, <i>S. C. Jenkins</i> Correction to: 'Measurement of Liquid Layer Thickness with Time Domain Reflectometry,' Jan. 1966	July 1966	A Sensitive New 1-GHz Sampling Voltmeter with Unusual Capabilities, <i>Fred W. Wenninger, Jr.</i> Coherent and Incoherent Sampling Measuring Attenuation, SWR, and Substitution Loss with a Low-Noise, High-Precision SWR Meter, <i>Bradford G. Woolley</i> Increasing Instrument Sensitivity with a Low-Noise Preamplifier, <i>Robert B. Bump</i> AT WESCON—Wideband Sampling Session
Mar. 1966	A Sensitive, Wide Range DC Null Voltmeter with an Internal Bucking Supply for Zero Loading Error, <i>Charles D. Platz</i> A Portable DC Voltage Standard Providing 10 ppm Transfer Accuracy, <i>Robert E. Watson</i> RFI Measurements Down to 10 kHz with Spectrum Analyzer Converter, <i>John Cardoza</i> Adjustment in WWVB Time Pulses	Aug. 1966	A New DC-50+ MHz Transistorized Oscilloscope of Basic Instrumentation Character, <i>Floyd G. Siegel</i> Short, Large Screen, High-Frequency CRT Compact, Wideband, Stripline Delay Line Electronically-Controlled Oscilloscope Camera World-Wide Time Synchronization, 1966, <i>LaThare N. Bodily, Dexter Hartke, and Ronald C. Hyatt</i> First Cesium-Beam Resonator The Benchmark
Apr. 1966	A New Distortion Analyzer with Automatic Nulling and Broadened Measurement Capability, <i>Charles R. Moore</i> Total Harmonic Distortion Measurements A Family of Distortion Analyzers An Adjustable Standard Resistor with Improved Accuracy and High Stability, <i>E. Paul Hubbs</i> Stability of Capacitively-Loaded Emitter Followers —A Simplified Approach, <i>Glenn B. DeBella</i>		
May 1966	The RF Vector Voltmeter—An Important New Instrument for Amplitude and Phase Measurements from 1 MHz to 1000 MHz, <i>Fritz K. Weinert</i> Correction to: 'RFI Measurements Down to 10 kHz with Spectrum Analyzer Converter' March 1966 The Vector Voltmeter as a Precision Frequency Comparator Time Signal Adjustment Selected Vector Voltmeter Measurements A Portable Battery-Powered Multi-Function Meter with Lab-Quality Performance, <i>James M. Colwell</i>	Sept. 1966	A New Universal Impedance Bridge with Simplified, Semi-Automatic Tuning, <i>Katsumi Yoshimoto</i> A System for Automatic Control of the 'DQ' Resistor in an Impedance Bridge, <i>Katsumi Yoshimoto, Haruo Itoh, and Hitoshi Noguchi</i> Appendix, AC Bridge Loci, <i>Hitoshi Noguchi</i> A Plug-in Unit for Extending Counter-Type Frequency Measurements to 12.4 GHz, <i>John N. Dukes</i> New FCC Rules for FM Stereo Frequency Control A Frequency Comb Generator with a Range from 1 MHz to Beyond 5 GHz, <i>Roderick Carlson</i> Accurate Determination of a Signal Frequency on a Spectrum Analyzer
June 1966	An Advanced New DC-25 MHz Oscilloscope for Programmed Production Testing, <i>John Strathman</i> Eliminating DC Drift Time Domain Reflectometry in 75-Ohm Systems, <i>Charles A. Donaldson</i> Rise Time Converters for Simpler TDR Testing of Band-Limited Systems, <i>Lee R. Moffitt</i> A Calibrated Susceptance for TDR Measurements of Small Reactive Discontinuities, <i>Richard W. Anderson</i> A DC-Stabilized Oscilloscope Plug-in with 50- μ V/cm Sensitivity, <i>James R. Pettit</i>	Oct. 1966	An Ultra-Wideband Oscilloscope Based on an Advanced Sampling Device, <i>Allan I. Best, Darwin L. Howard and James M. Umphrey</i> Ultra-Fast Triggering and Ultra-Resolution TDR Second Symposium on Test Instrumentation New NBS Laboratories A DC to 12.4 GHz Feedthrough Sampler for Oscilloscopes and other RF Systems, <i>Wayne M. Grove</i> A Summary of Some Performance Characteristics of a Large Sample of Cesium-Beam Frequency Standards, <i>LaThare N. Bodily</i> Operation of the Portable Cesium-Beam Frequency Standard Frequency Standards in the Omega Navigation System

PART I Chronological Index (continued)

Month / Year	Title and Author	Month / Year	Title and Author
Nov. 1966	A Simplified DC Differential Voltmeter and Ratiometer for High-Precision Measurements, <i>Lawrence J. Lopp, Jr.</i> Using the DC Differential Voltmeter/Ratiometer to Construct a 100:1 Precision Divider ADAC—An Automatic System for Measuring Hall Effect in Semiconductors, <i>Egon Loebner, T. J. Diesel and Cristy M. Schade</i> Analysis of Solids with More than One Type of Carrier Typical ADAC Data Reduction Procedure A Study of Indium Arsenide Using ADAC Equipment		Phase Noise and Phase Modulation Measurements with the Analog Frequency Meter, <i>Peter R. Roth</i>
Dec. 1966	A New High-Performance 1.5 MHz Tape Recorder, <i>Gerald L. Ainsworth</i> Magnetic Tape Recording and Reproducing Square Wave Response of the —hp— Model 3950 Magnetic Tape Recording System A Current Preamplifier for Magnetic Tape Playback Systems, <i>Arndt B. Bergh</i> Wideband Cavity-Type Coaxial Frequency Meters, <i>Stephen F. Adam and Anthony S. Badger</i> Simplified Technique for Evaluating Diode RF Performance, <i>Bernard Levine</i> Swept-Frequency SWR Measurements in Coaxial Systems, <i>Stephen J. Adam</i> Standard Broadcast Frequency Offset for 1967	Apr. 1967	Frequency Divider Extends Automatic Digital Frequency Measurements to 12.4 GHz, <i>Robert L. Allen</i> Frequency Divider + Integrated-Circuit Counter = 12.4 GHz Digital Frequency Meter Precision Measurement of Ocean Temperatures, <i>Albert Benjaminson</i> Temperature Profile of the Ocean Improved Intermodulation Rejection in Mixers, <i>A. Michael Cowley and Jack H. Lepoff</i>
Jan. 1967	Methods of Measuring Impedance, <i>Charles G. Gorss</i> Some Basic Formulas Involving Q Comparison of Some Impedance Measuring Systems Direct-Reading, Fully-Automatic Vector Impedance Meters, <i>Gerald J. Alonso, Richard H. Blackwell and Hirsh V. Marantz</i> Design Philosophy of Vector Impedance Meters	May 1967	Pinpointing Industrial Defects with Ultrasonic Ears, <i>Robert L. Allen</i> How to Recover Weak Signals Buried in Noise, <i>Raymond C. Hanson</i> Typical Applications of —hp— Model 3410A Using a Precision ac Amplifier for Measurement and Calibration, <i>Rex James</i> How the —hp— Model 463A Amplifier is Calibrated
Feb. 1967	An Advanced New Network Analyzer for Sweep-Measuring Amplitude and Phase from 0.1 to 12.4 GHz, <i>Richard W. Anderson and Orthell T. Dennison</i> The Engineer, Automated Network Analysis and the Computer—Signs of Things to Come, <i>Paul C. Ely, Jr.</i> S-Parameter Techniques for Faster, More Accurate Network Design, <i>Richard W. Anderson</i> Useful Scattering Parameter Relationships	June 1967	The Role of Electronic Medical Instrumentation in Patient Monitoring, <i>H. Ronald Riggert</i> Precision Thin-Film Coaxial Attenuators, <i>Stephen F. Adam</i> International Units, Multiple and Submultiple Prefixes
Mar. 1967	A Computer for Instrumentation Systems, <i>Kay B. Magleby</i> Successful Instrument-Computer Marriages Correction to: 'S-Parameter Techniques for Faster, More Accurate Network Design,' Feb. 1967 A Wideband Analog Frequency Meter and FM Discriminator, <i>Peter R. Roth</i>	July 1967	Pressurized Ink Recording on Z-Fold Strip Charts, <i>Robert A. Sanderson</i> Advantages of Direct-Coupled Differential Data Amplifiers, <i>Morton H. Levin</i> Errors in Data Amplifier Systems, <i>Richard Y. Moss II</i>
		Aug. 1967	Implementing Integrated Circuits in HP Instrumentation, <i>Ian T. Band, Ed A. Hilton and Max J. Schuller</i> High-Accuracy Laser-Interferometer Camera for IC Masks, <i>Don M. Cross</i> Integrated-Circuit Counters, <i>Thomas P. O'Brien and John W. McMains</i> Semiautomatic System for Production Testing of Electronics Circuits, <i>Dee L. Larson and Emil E. Olander, Jr.</i>
			VOLUME 19, September 1967 through August 1968
		Sept. 1967	Pseudo-Random and Random Test Signals, <i>George C. Anderson, Brian W. Finnie and Gordon T. Roberts</i> Testing with Pseudo-Random and Random Noise

PART I Chronological Index (continued)

Month / Year	Title and Author	Month / Year	Title and Author
Oct. 1967	A System for Measuring the Thermal Resistance of Semiconductor Diodes, <i>Norman R. Galassi and Bernard S. Siegal</i> Digital Frequency Synthesizer Covering 0.1 MHz to 500 MHz in 0.1 Hz Steps, <i>Alexander Tykulsky</i> Phase Noise in Frequency Synthesizers Transform Methods for Linear Systems, <i>Michael O'Flynn</i>		Calibrated Real-Time Signal Averaging, <i>J. Evan Deardorff and Charles R. Trimble</i> Where Averaging Helps Off-Line Analysis of Averaged Data, <i>Francis J. Yockey</i>
Nov. 1967	Loudness Evaluation, <i>Wolfgang E. Ohme</i> Automatic Loudness Analysis, <i>Heinz Blässer and Helmut Finckh</i> Loudness Analyzer Aids Noise Reduction, Production Testing, Speech Analysis 1968 UTC Offset Announced	May 1968	Sweeping Four Decades at Low Frequencies, <i>William T. Cowan</i> Applications of Low-Frequency Sweepers Easier and Brighter Display of High-Frequency Signals, <i>Charles A. Donaldson and Charles A. Gustafson</i> Definition of Persistence Stanford Scientists Study Space Signals, <i>Laurence D. Shergalis</i>
Dec. 1967	Large-Screen High-Frequency X-Y-Z Display, <i>Charles House</i> Repeatability and Settling Time Factors in Designing a Large-Screen, Wideband CRT, <i>Milton E. Russell</i> 'Flying Clock' Comparisons Extended to East Europe, Africa and Australia, <i>LaThare N. Bodily and Ronald C. Hyatt</i> Flying Clocks	June 1968	High-Accuracy AC Voltage Calibration, <i>Fred L. Hanson</i> Effects of Distortion on Calibration Systems-Oriented Digital Power Sources, <i>Brett M. Nordgren</i> Digital Voltage Sources at Work
Jan. 1968	Three and One-Half Decades in One Clean Sweep, <i>Robert B. Bump and Myles A. Judd</i> Advances in Spectrum Analysis, <i>John J. Dupre, Richard C. Keiter, and John R. Page, Jr.</i> How a YIG Filter Works	July 1968	A Practical Time-Shared Computer System, <i>Thomas C. Poulter, Jr.</i> IEC Renames Noise Contour A Rubidium-Vapor Frequency Standard for Systems Requiring Superior Frequency Stability, <i>Darwin H. Throne</i> Comparing Frequency Standards
Feb. 1968	A Precision Solid-State Television Picture Monitor, <i>John R. Hefele</i> Measuring Spot Size and Interlace Factor Counting CW and Pulsed RF Frequencies to 18 GHz, <i>Glenn B. DeBella</i> Frequency Converter, Transfer Oscillator, or Both? Atomic Second Adopted by International Conference	Aug. 1968	Fully Calibrated Frequency-Domain Measurements, <i>Brian D. Unter</i> Design of a Third-Generation RF Spectrum Analyzer, <i>Thomas L. Grisell, Irving H. Hawley, Jr., Brian D. Unter, and Paul G. Winninghoff</i> Analyzer/Tracking-Generator System Has Amplitude Range of 120 dB New Concepts in Signal Generation, <i>Douglas C. Spreng and John R. Hearn</i> Units Ambiguity Noted
Mar. 1968	Electronic Techniques in Gamma Ray Spectroscopy and Timing, <i>Tracy S. Storer</i> A Multichannel Pulse-Height Analyzer with a Very Fast Analog-Digital Converter, <i>W. A. Ross</i> Differential Linearity A Charge-Sensitive Preamplifier for Nuclear Work, <i>James K. Koch</i> A Nuclear-Type Linear Amplifier with Plug-in Pulse-Shaping Delay Lines, <i>Eric M. Ingman</i> NIM Bin A Single-Channel Analyzer with Fast Multiple-Pulse Resolution, <i>Robert G. Wagstrom</i>		
Apr. 1968	What is Signal Averaging?, <i>Charles R. Trimble</i>		

PART II Subject Index

Month/Year	Subject	Model
	A	
Oct. 1965	AC-DC converter, precision	741A
Jan. 1966	AC-DC converter, voltmeter	400E/EL

PART II Subject Index (continued)

Month / Year	Subject	Model	Month / Year	Subject	Model
Oct. 1965	AC-DC differential voltmeter	741A	Jan. 1967	Bridges, impedance	—
May 1967	AC microvoltmeter	3410A	Sept. 1966	Bridges, impedance, universal	4260A
June 1968	AC voltage calibration	745A	July 1966	Broadband measurements using sampling voltmeter and low-frequency instruments	3406A
Oct. 1965	AC voltage measurements, precision	741A	July 1966	Broadband sampling voltmeter	3406A
Jan. 1966	AC voltmeters, 10 Hz-10MHz, average responding	400E/EL	Mar. 1967	Burst frequency measurements	5210A
Nov. 1966	ADAC, an automatic measurement system	—			
June 1966	Adapter, 50 to 75 ohms for TDR	10457A, 10458A			
Apr. 1966	Adjustable standard resistor	11102A- 11105A			
May 1966	Amplifier gain, phase, and group delay measurements with vector voltmeter	8405A	C		
July 1966	Amplifier, general-purpose	465A	May 1966	Cable length measurements with vector voltmeter	8405A
May 1967	Amplifier, precision	463A	June 1966	Calibrated susceptance for TDR	874A
Oct. 1965	Amplifier, precision	741A	June 1968	Calibration, AC voltage	745A
July 1967	Amplifiers, data	2470A, 8875A	June 1968	Calibration, distortion effects	745A
May 1966	Amplitude and phase measurements with RF vector voltmeter	8405A	May 1967	Calibration, precision amplifier	463A
Nov. 1967	Analyzer, loudness	8051A	Sept. 1966	Calibrator, frequency, spectrum analyzer	8406A
Mar. 1968	Analyzer, multichannel	5400A	Aug. 1967	Camera, IC masks	—
Apr. 1968	Analyzer, signal	5480A	Aug. 1967	Camera, laser interferometer controlled	—
Apr. 1966	Analyzers, distortion	331A-334A	Aug. 1966	Camera, oscilloscope	197A
Aug. 1968	Analyzer, spectrum	8552A/8553L	Apr. 1966	Capacitively-loaded emitter followers, stability of	—
Jan. 1968	Analyzer, spectrum	852A/8551B	Dec. 1967	Cathode ray tube, large screen	1300A
Feb. 1968	Aperture characteristics of TV picture tube	6946A	Aug. 1966	Cathode ray tube, short, large screen, high frequency	—
Feb. 1968	Atomic Second adopted	—	Apr. 1966	'Cell effect' in standard resistors	11102A- 11105A
July 1966	Attenuation measurements	415E	Aug. 1966	Cesium-beam frequency standards	5060A
May 1966	Attenuation measurements with vector voltmeter	8405A	Oct. 1966	Cesium-beam frequency standards performance of	5060A
Oct. 1965	Attenuator, current-controlled	10514A	Dec. 1967	Cesium beam frequency standard	5061A
June 1967	Attenuators, thin-film coaxial	8491A, 8491B, 8492A, 354A	June 1967	Coaxial attenuators	8791A, 8491B, 8492A, 354A
Sept. 1966	Automatic control of 'DQ' resistor	4260A	Dec. 1966	Coaxial frequency meters	536A, 537A
Apr. 1967	Automatic frequency divider	5260A	July 1966	Coherent and incoherent sampling	3406A
Jan. 1967	Automatic impedance meters	4800A, 4815A	Sept. 1966	Comb generator	8406A
Nov. 1966	Automatic measurement of semiconductor material characteristics	—	Aug. 1967	Comparator	3434A
Apr. 1966	Automatic nulling distortion analyzers	333A/334A	July 1968	Comparing frequency standards (quartz, cesium, rubidium, hydrogen)	—
Sept. 1965	Autoranging dc voltohmometer	414A	Feb. 1967	Complex impedance and gain measurements, swept frequency	8410A
Jan. 1966	Average-responding voltmeters	400E/EL	May 1966	Complex measurements with vector voltmeter	8405A
Apr. 1968	Averaging	5480A	Feb. 1967	Complex s-parameter measurements	8410A
			Feb. 1967	Computer-controlled network analysis	2116A, 8410A
			June 1968	Computer-controlled voltage source	6130A, 6933A
			Mar. 1967	Computer for instrumentation systems	2116A
			July 1968	Computer, time-shared system	2000A
			Sept. 1965	Constant current ohmmeter	414A

B

July 1968 BASIC computer language, used in time-shared computer system 2000A

PART II Subject Index (continued)

Month/Year	Subject	Model	Month/Year	Subject	Model
May 1966	Conversion of low-frequency instruments to sampling instruments	8405A	Oct. 1965	Doubler, 0.5-500 Mc/s	10515A
June 1966	Converters, rise time, for TDR	10452A- 10456A	June 1966	Drift, eliminating in oscilloscopes ..	155A, 1407A
Mar. 1966	Converter, spectrum analyzer	K15-8551B	Aug. 1966	Dual channel vertical amplifier plug-in	1801A
Sept. 1966	Counters, for FM stereo measurements	—			
Aug. 1967	Counters, integrated-circuit	5216A, 5221A			
Sept. 1966	Counter plug-in, 12.4 GHz	5255A			
Feb. 1968	Counter plug-ins, 18 GHz	5256A, 5257A			
				E	
			Apr. 1966	Emitter follower stability	—
			July 1967	Errors in data amplifiers systems ..	2470A/8875A
			May 1967	Extending instrument ranges with preamplifier	463A
				F	
			Sept. 1966	FCC regulations, FM stereo frequency control	—
			May 1966	Feedback amplifier tuning with vector voltmeter	8405A
			May 1966	Filter transfer function measure- ments with vector voltmeter	8405A
			Dec. 1967	Flying clock experiments, 1967	5061A
			Aug. 1966	Flying clocks, 1966	5060A
			Feb. 1968	FM measurements, using transfer oscillator	5257A
			Aug. 1968	FM measurements, using spectrum analyzer	8552A/8553L
			Sept. 1966	FM stereo, pilot subcarrier measurement	—
			Nov. 1965	Frequency and time standard broadcasts	—
			Sept. 1966	Frequency comb generator	8406A
			May 1966	Frequency comparison with vector voltmeter	8405A
			Feb. 1968	Frequency converter plug-in for counters, 8-18 GHz	5256A
			Sept. 1966	Frequency converter plug-in, 3-12.4 GHz	5255A
			Apr. 1967	Frequency divider, automatic	5260A
			Aug. 1968	Frequency-domain measurements ..	8552A/8553L
			Oct. 1965	Frequency doubler, 0.5-500 Mc/s ..	10515A
			Sept. 1966	Frequency measurement, crystal calibrator	8406A
			Feb. 1968	Frequency measurement, CW, pulsed RF, and FM to 18 GHz	5256A, 5257A
			Apr. 1967	Frequency meter, 12.4 GHz	5240A
			Mar. 1967	Frequency meter/FM discriminator	5210A
			Dec. 1966	Frequency meters, coaxial	536A, 537A
			Sept. 1966	Frequency response, impulse testing	8406A
			Aug. 1968	Frequency response measurements	8552A/8553L
			Oct. 1965	Frequency stability measurements ..	10514A
			July 1968	Frequency standard, rubidium vapor	5065A
			Aug. 1966	Frequency standard, cesium-beam ..	5060A

PART II Subject Index (continued)

Month/Year	Subject	Model	Month/Year	Subject	Model			
Oct. 1966	Frequency standard, cesium-beam ..	5060A	Mar. 1967	Instrument-computer marriages	2116A			
Dec. 1967	Frequency standard, cesium-beam ..	5061A	Aug. 1967	Integrated-circuit counters	5216A, 5221A			
July 1968	Frequency standards compared (quartz, cesium, rubidium, hydrogen)	—	Aug. 1967	Integrated circuits	—			
Aug. 1966	Frequency standard, Hewlett- Packard	—	June 1967	Intensive care equipment	780 Series			
Oct. 1967	Frequency synthesizer, digital	5105A/5110B	Aug. 1967	Interferometer, camera control	—			
Oct. 1967	Frequency synthesizer, phase noise in	—	Feb. 1968	Interlace factor of TV picture monitor	6946A			
Nov. 1965	Function generator	3300A	Apr. 1967	Intermodulation rejection in mixers	—			
June 1968	Function generation by digital voltage source	6130A, 6933A	June 1967	International System of Units	—			
			Feb. 1968	International System of Units, changes	—			
			Aug. 1968	International System of Units, correction	—			
G								
Feb. 1967	Gain and phase measurements, swept frequency	8410A	L					
May 1966	Gain and phase measurement with vector voltmeter	8405A	Dec. 1967	Large-screen X-Y-Z Display	1300A			
May 1966	Gain margin measurement with vector voltmeter	8405A	Aug. 1967	Laser-interferometer-controlled camera	—			
Mar. 1968	Gamma ray spectroscopy	—	May 1966	Leakage, RF, detection with vector voltmeter	8405A			
Mar. 1967	Gas chromatograph system, computerized	2116A	May 1967	Leak location, ultrasonic	116, 117, 118, 4905A, 4917A, 4918A, 4950A			
Aug. 1968	Generator/sweeper 0.1 to 110 MHz	8601A	Oct. 1965	Level controller 0.2–500 Mc/s	10514A			
May 1966	Group delay measurement with vector voltmeter	8405A	Mar. 1968	Linear amplifier	5582A			
H			Sept. 1965	Linear ohmmeter scales	414A			
Nov. 1966	Hall effect measurement	—	Jan. 1966	Liquid depth measurements with TDR	140A/1415A			
Nov. 1965	'Hertz' adopted by IEEE	—	Jan. 1966	Logarithmic ac voltmeter	400EL			
Aug. 1966	High-frequency oscilloscope	180A	Mar. 1967	Logic module test system, computerized	2116A			
Aug. 1966	Horizontal time base and delay generator plug-in	1821A	Nov. 1967	Loudness analysis	8051A			
Aug. 1966	Horizontal time base plug-in	1820A	Nov. 1965	Low-frequency oscillator	3300A			
Dec. 1965	Hot carrier diodes	2350 Series	May 1968	Low-frequency sweeper	3300A/3305A			
I			May 1967	Low level signals in noise	3410A			
Jan. 1967	Impedance bridges	—	July 1966	Low noise amplifier/preamplifier ..	465A			
Sept. 1966	Impedance bridge, universal	4260A	M					
Jan. 1967	Impedance measurements	—	Dec. 1966	Magnetic tape recorder, 1.5 MHz ..	3950A			
May 1966	Impedance measurements with vector voltmeter	8405A	Nov. 1966	Measurement of Hall effect in semiconductors	—			
Jan. 1967	Impedance meters, automatic, direct-reading	4800A, 4815A	May 1967	Measurement of signals in noise ..	3410A			
Sept. 1967	Impulse response measurements with noise and correlation	3722A	Jan. 1967	Measurements, impedance	—			
July 1966	Incoherent sampling	3406A	May 1967	Measuring closely-spaced signals ..	3410A			
Nov. 1966	Indium arsenide study using ADAC	—	Apr. 1968	Measuring closely-spaced signals ..	5480A			
July 1967	Ink recorder, eight channel	7848A	June 1967	Medical instrumentation	780 Series			
May 1966	Insertion loss or gain measure- ments with vector voltmeter	8405A	Aug. 1968	Microcircuits, used in generator/ sweeper	8601A			
			Mar. 1966	Microvolt measurements, dc	419A			
			May 1967	Microvolt measurements, ac	3410A			
			Mar. 1966	Microvolt supply	735A			
			Feb. 1967	Microwave s-parameter measure- ment system	8410A			
			Mar. 1967	Microwave impedance measuring system, computerized	2116A, 8410A			

PART II Subject Index (continued)

Month/Year	Subject	Model	Month/Year	Subject	Model
Dec. 1965	Microwave mixers, hot carrier diodes	2350 Series	June 1966	Oscilloscope plug-in, dc stabilized ..	1407A
Nov. 1965	Microwave stability measurement ..	2590A/5100A	July 1966	Oscilloscope preamplifier	465A
May 1966	Miller effect detection with vector voltmeter	8405A	June 1966	Oscilloscope, programmable, push-button, dc stabilized	155A
Oct. 1965	Mixer, double-balanced 0.2–500 MC/s	10514A	Feb. 1966	Oscilloscope, TV waveform	191A
Aug. 1968	Mixer measurements with spectrum analyzer	8552A/8553L	Oct. 1966	Oscilloscope, wideband sampling ..	1410A, 1424A, 1425A,
Dec. 1965	Mixers, microwave, hot carrier diodes	2350 Series			1411A/1430–32A, (for 140A, 141A)
May 1966	Modulation index measurement with vector voltmeter	8405A	May 1968	Oscilloscopes, variable persistence ..	181A, 141A
Aug. 1968	Modulation index, measurement with spectrum analyzer	8552A/8553L			
Oct. 1965	Modulator, balanced 0.2–500 Mc/s	10514A			
Mar. 1968	Multichannel analyzer	5400A			
May 1966	Multifunction meter	427A			
Nov. 1965	Multiplier, signal	3302A/3300A			

N

Oct. 1966	National Bureau of Standards, new laboratories	—
Nov. 1965	NBS standard frequency and time broadcasts	—
Feb. 1967	Network analyzer	8410A
Feb. 1967	Network design using s-parameters	—
May 1966	Network parameter measurements with vector voltmeter	8405A
Mar. 1968	NIM bin	5580A/B
Nov. 1967	Noise abatement	8051A
July 1968	Noise contour renamed	—
July 1966	Noise figure, SWR meter	415E
Sept. 1967	Noise generator, digital	3722A
Mar. 1966	Noise in a voltmeter	419A
Apr. 1968	Noise reduction, by averaging	5480A
Sept. 1967	Noise testing	3722A
Mar. 1968	Nuclear instruments	—
Mar. 1966	Null voltmeter	419A

O

Apr. 1967	Ocean temperature measurements ..	2800 Series
Sept. 1965	Ohmmeter, automatic ranging ..	414A
May 1966	Ohmmeter, multifunction voltmeter ..	427A
Oct. 1966	Omega navigation system	—
Aug. 1968	Oscillator measurements with spectrum analyzer	8552A/8553L
Aug. 1966	Oscilloscope camera	197A
Aug. 1966	Oscilloscope, 50-MHz, general purpose, portable	180A
June 1966	Oscilloscope measurements, expanded scale	155A, 1407A

P

June 1967	Patient monitoring equipment	780 Series
Oct. 1965	Phase detector 0.2–500 Mc/s	10514A
Nov. 1965	Phase-locked function generator	3302A/3300A
May 1966	Phase margin measurement with vector voltmeter	8405A
Feb. 1967	Phase measurements, swept-frequency	8410A
May 1966	Phase measurements with vector voltmeter	8405A
Oct. 1967	Phase noise in frequency synthesizers	—
Mar. 1967	Phase noise measurements with a pulse discriminator	5210A
May 1966	Phase tracking measurement with vector voltmeter	8405A
Mar. 1966	Picoammeter	419A
Feb. 1968	Picture monitor, TV	6946A
July 1966	Power measurement with sampling voltmeter	3406A
June 1968	Power supply, digital	6130A
Mar. 1968	Preamplifier, charge-sensitive	5554A
July 1966	Preamplifier, low noise	465A
Dec. 1966	Preamplifier, magnetic tape	—
May 1967	Precision ac amplifier	463A
Nov. 1966	Precision dc voltage measurements	3420A/B
Nov. 1966	Precision divider, how to construct ..	3420A/B
July 1968	Precision frequency standards	—
Feb. 1968	Precision TV picture monitor	6946A
Apr. 1966	Precision voltage divider	11102A–11105A
Jan. 1968	Preselector for spectrum analyzer ..	8441A
Aug. 1967	Production tests, high-go-low	3434A
May 1967	Production testing, ultrasonic	4950A
Nov. 1965	Programmable function generator ..	3300A
June 1966	Programmable oscilloscope	155A/1550A
Aug. 1968	Programmable signal generator	8601A
June 1968	Programmable voltage sources	6130A, 6933A
Sept. 1967	Pseudo-random noise	3722A
May 1968	Pulsar experiment	5480A
Mar. 1967	Pulse discriminator/frequency meter	5210A

PART II Subject Index (continued)

Month/Year	Subject	Model	Month/Year	Subject	Model
Oct. 1966	Pulse generator for TDR, 20-ps rise time	1105A/1106A	July 1966	Sampling voltmeter	3406A
Feb. 1968	Pulsed RF carrier frequency measurements to 18 GHz	5257A	Oct. 1967	Semiconductor diodes, thermal resistance measurement of	—
			Nov. 1966	Semiconductor material characteristics, measurement of	—
			Apr. 1968	Signal analyzer and averager	5480A
			May 1968	Signal analyzer, pulsar measurement	5480A
Jan. 1967	Q meter	190A, 260A	Jan. 1968	Signal generator, sweeper	675A
Apr. 1967	Quartz thermometer	2800 Series	Aug. 1968	Signal generator, sweeper	8601A
			Sept. 1965	Signal-to-noise improvement with sampling recorder	1782A-1784A
			Apr. 1968	Signal-to-noise improvement by averaging	5480A
Sept. 1967	Random noise	3722A	Mar. 1968	Single-channel analyzer	5583A
Nov. 1966	Ratiometer	3420A/B	Oct. 1965	Single-sideband converter	10514A
May 1966	Receiver, vector voltmeter used as ..	8405A	Sept. 1966	'Sliding nulls,' elimination of	4260A
July 1967	Recorder, ink, eight channel	7848A	Nov. 1967	Sound analysis (loudness)	8051A
Sept. 1965	Recorder, oscilloscope plug-in	1784A	Feb. 1967	S-parameters for network design	—
Sept. 1965	Recording fast waveforms	1782A-1784A	Feb. 1967	S-parameter measurements, swept-frequency	8410A
Sept. 1965	Recording noisy signals	1782A-1784A	May 1966	S-parameter measurements with vector voltmeter	8405A
Feb. 1967	Reflection coefficient measurements, swept-frequency	8410A	Jan. 1968	Spectrum analysis	8441A, 852A, 8551B
May 1966	Reflection coefficient measurements with vector voltmeter	8405A	Aug. 1968	Spectrum analyzer, 1 kHz to 110 MHz	8552A/8553L
Apr. 1966	Resistor, adjustable standard	11102A-11105A	Sept. 1966	Spectrum analyzer calibrator	8406A
Sept. 1965	Resistance measurements, with autoranging analog meter	414A	Mar. 1966	Spectrum analyzer converter	K15-8551B
Feb. 1968	Resolution function of TV picture monitor	6945A	Jan. 1968	Spectrum analyzer, preselector for ..	8441A
May 1966	RFI detection with vector voltmeter	8405A	Jan. 1968	Spectrum analyzer, variable-persistence display	852A
Mar. 1966	RFI measurements, 10 kHz to 40 GHz	K15-8551B	Nov. 1967	Speech analysis using loudness analyzer	8051A
May 1966	RF vector voltmeter	8405A	Feb. 1968	Spot profile of TV picture tube	6946A
June 1966	Rise time converters for TDR	10452A-10456A	Nov. 1965	Square wave generator	3300A
July 1968	Rubidium vapor frequency standard	5065A	Apr. 1966	Stability, emitter follower	—
Jan. 1967	RX meter	250A	Nov. 1965	Stability measurement, microwave frequency	2590A/5100A
			Oct. 1965	Stability measurements, frequency ..	10514A
			Mar. 1966	Standard cell comparisons	419A, 735A
			Nov. 1965	Standard frequency and time broadcast	—
			Apr. 1966	Standard resistors	11102A-11105A
			Dec. 1966	Standing wave ratio, swept-frequency measurement in coax	817A
July 1966	Sampling, coherent and incoherent	—	May 1968	Storage oscilloscopes	141A, 181A
May 1966	Sampling, conversion of low-frequency instruments with vector voltmeter	8405A	Jan. 1966	Stratospheric warming	—
July 1966	—, with sampling voltmeter	3406A	Aug. 1966	Stripline delay line, compact	—
Oct. 1966	Sampling device, wideband feedthrough	—	July 1966	Substitution loss measurement	415E
Oct. 1966	Sampling oscilloscope plug-ins dc to 12.4 GHz	1410A, 1424A, 1425A, 1411A/1430-32A	June 1966	Susceptance, calibrated, for TDR ..	874A
Sept. 1965	Sampling recorder	1782A-1784A	Mar. 1967	Sweep frequency measurements	5210A
			May 1968	Sweeper plug-in	3305A
			Jan. 1968	Sweeping signal generator	675A
			May 1968	Sweeping signal generator	3300A/3305A

PART II Subject Index (continued)

Month/Year	Subject	Model	Month/Year	Subject	Model
Aug. 1968	Sweeper/generator, 0.1 to 110 MHz	8601A	Feb. 1968	Units, changes in International System	—
July 1966	SWR meter	415E	Aug. 1968	Units, correction	—
Oct. 1967	Synthesizer, frequency	5105A/5110B	Sept. 1966	Universal bridge	4260A
June 1968	Systems-oriented digital power source	6130A	Jan. 1967	Universal bridge	4260A

T

Dec. 1966	Tape recorder, 1.5 MHz	3950A
June 1966	TDR, calibrated susceptance for	874A
Oct. 1966	TDR, 40-ps	1105A/1106A
Jan. 1966	TDR in liquids	140A/1415A
June 1966	TDR in 75Ω systems	10457A, 10458A
Feb. 1966	TDR measurement of liquids — Correction	1415A
June 1966	TDR, rise time converters for	10452A— 10456A
Apr. 1967	Temperature measurements, ocean	2800 Series
Aug. 1967	Testing, production, high-go-low	3434A
Oct. 1967	Thermal resistance of diodes	—
June 1968	Thermal transfer measurement	745A
Apr. 1967	Thermometer, quartz	2800 Series
July 1968	Time-shared computer system	2000A
Aug. 1966	Time synchronization, world-wide	1966
		5060A
Dec. 1967	Time synchronization, 1967	5061A
Nov. 1965	Tone-burst generator	3302A/3300A
Apr. 1966	Total harmonic distortion measurements	331A, 334A
Aug. 1968	Tracking generator for spectrum analyzer	8601A, 8552A/8553L
May 1966	Transfer function measurements with vector voltmeter	8405A
Feb. 1968	Transfer oscillator plug-in for counters 50 MHz–18 GHz	5257A
Mar. 1966	Transfer standard, dc voltage	735A
Oct. 1967	Transform methods (tables)	—
May 1966	Transistor parameter measurements with vector voltmeter	8405A
Oct. 1966	Trigger countdown, 18 GHz	1104A/1106A
Nov. 1965	Trigger/phase-lock plug-in	3302A
Oct. 1966	Tunnel diode mount	1106A
Feb. 1966	TV network test signals	191A
Feb. 1968	TV picture monitor	6946A
Feb. 1966	TV waveform oscilloscope	191A

U

May 1967	Ultrasonic translators	116, 117, 118, 4905A, 4917A, 4918A, 4950A
June 1967	Units, International System of, and prefixes	—

V

Jan. 1968	Variable-persistence display for spectrum analyzer	852A
May 1968	Variable persistence oscilloscopes	181A, 141A
Jan. 1967	Vector impedance meters	4800A, 4815A
May 1966	Vector voltmeter	8405A
Feb. 1966	Vertical interval test signals (VITS)	191A
Nov. 1965	Voltage-controlled function generator	3300A
Apr. 1966	Voltage divider, precision	11102A— 11105A
June 1968	Voltage sources, digital	6130A, 6933A
Mar. 1966	Voltage standard, dc portable	735A
Jan. 1968	Voltage-tunable YIG filter	8441A
Sept. 1965	Voltmeter, automatic ranging	414A
Oct. 1965	Voltmeter ac/dc differential	741A
May 1967	Voltmeter, ac microvolts	3410A
May 1966	Voltmeter, multifunction, battery powered	427A
July 1966	Voltmeter preamplifier	465A
Nov. 1966	Voltmeter/ratiometer, dc	3420A/B
Mar. 1966	Voltmeter, dc null	419A
Jan. 1966	Voltmeters, 10 Hz–10 MHz ac average-responding	400E/EL
July 1966	Voltmeter, sampling	3406A
May 1966	Voltmeter, vector	8405A

W

June 1968	Waveform distortion, effects on calibration	745A
Dec. 1966	Wavemeters, coaxial	536A, 537A
Oct. 1965	'Which DC Voltmeter'	AN 69
Sept. 1965	Wideband amplifier, with oscilloscope	461A/462A
Jan. 1968	Wideband sweep generator	675A

X

Sept. 1966	X-band frequency converter plug-in	5255A
Sept. 1965	X-Y recorder, fast waveforms on	1782A
Dec. 1967	X-Y-Z Display, large-screen	1300A

Y

Jan. 1968	YIG filter	8441A
-----------	------------	-------

PART III Model Number Index

Model	Instrument	Month/Year	Model	Instrument	Month/Year
107AR	Frequency Standard (application of)	Nov. 1965	1425A	Plug-in Sampling Time Base and Delay Generator	Oct. 1966
116, 117, 118,			1430A	Remote Sampler for 1411A, $t_r < 28 \text{ ps}$	Oct. 1966
4905A, 4917A,	Ultrasonic Translator	May 1967	1431A	Remote Sampler for 1411A, dc to 12.4 GHz	Oct. 1966
4918A, 4950A			1432A	Remote Sampler for 1411A, dc to 4 GHz	Oct. 1966
140A, 141S,	Display Sections	Aug. 1968	1550A	Programmer	June 1966
143S			1782A	Display Scanner Plug-in (for 175A)	Sept. 1965
141A	Variable Persistence Oscilloscope ..	May 1968	1784A	Recorder Plug-in (for 175A)	Sept. 1965
155A	Programmable Oscilloscope	June 1966	1801A	Dual Channel Vertical Amplifier	
180A	50 MHz Oscilloscope	Aug. 1966		Plug-in	Aug. 1966
181A	Variable Persistence Oscilloscope ..	May 1968	1820A	Horizontal Time Base Plug-in	Aug. 1966
190A	Q Meter (application of)	Jan. 1967	1821A	Horizontal Time Base and Delay	
191A	Television Waveform Oscilloscope	Feb. 1966		Generator Plug-in	Aug. 1966
197A	Oscilloscope Camera	Aug. 1966	2000A	Time-shared Computer System	July 1968
250A	RX Meter (application of)	Jan. 1967	2116A	Computer (application of)	Feb. 1967
260A	Q Meter (application of)	Jan. 1967	2116A	Computer	Mar. 1967
331A			2350 Series	Hot Carrier Diodes	Dec. 1965
to	Distortion Analyzers	Apr. 1966	2470A	Data Amplifier	July 1967
334A			2590A	Frequency Converter	
354A	Coaxial Step Attenuators	June 1967		(application of)	Nov. 1965
400E/EL	10 Hz-10 MHz AC Voltmeter	Jan. 1966	2801A	Quartz Thermometer	Apr. 1967
414A	Autovoltmeter	Sept. 1965	2832A	Temperature Sensor Assembly	Apr. 1967
415E	SWR Meter	July 1966	2833A	Temperature Sensor Assembly	Apr. 1967
419A	DC Null Voltmeter	Mar. 1966	3300A	Function Generator	Nov. 1965
427A	Multifunction Voltmeter	May 1966	3301A	Auxiliary Plug-in for Function	
448A	Slotted-line Sweep Adapter	Dec. 1966	3302A	Generator	Nov. 1965
461A/462A	Wideband Amplifiers		3305A	Trigger/Phase-lock Plug-in	Nov. 1965
	(application of)	Sept. 1965	3406A	Sweep Plug-in	May 1968
463A	Precision Amplifier	May 1967	3410A	Sampling Voltmeter	July 1966
465A	Amplifier	July 1966	3420A/B	AC Microvoltmeter	May 1967
536A, 537A	Coaxial Frequency Meters	Dec. 1966		DC Differential Voltmeter/	
675A	Sweeping Signal Generator	Jan. 1968		Ratiometer	Nov. 1966
735A	DC Transfer Standard	Mar. 1966	3434A	Comparator	Aug. 1967
741A	AC-DC Differential Voltmeter/		3722A	Noise Generator	Sept. 1967
	DC Standard	Oct. 1965	3950 Series	Tape Recorder	Dec. 1966
745A	AC Calibrator	June 1968	4260A	Universal Bridge	Sept. 1966
780 Series	Patient Monitoring Equipment	June 1967	4260A	Universal Bridge (application of)	Jan. 1967
817A	Swept Slotted Line System	Dec. 1966	4800A	Vector Impedance Meter	Jan. 1967
852A	Variable-persistence Display Unit		4815A	RF Vector Impedance Meter	Jan. 1967
	for Spectrum Analyzer	Jan. 1968	4905A, 4917A,		
874A	Calibrated Susceptance	June 1966	4918A, 4950A,	Ultrasonic Translator	May 1967
1104A/1106A	18-GHz Trigger Countdown	Oct. 1966	116, 117, 118		
1105A/1106A	20-ps Pulse Generator	Oct. 1966	5060A	Cesium-beam Frequency Standard..	Aug. 1966
1106A	Tunnel Diode Mount	Oct. 1966	5060A	Cesium-beam Frequency Standard..	Oct. 1966
1300A	X-Y-Z Display	Dec. 1967	5061A	Cesium-beam Frequency Standard..	Dec. 1967
1407A	DC-stabilized Sensitive Plug-in	June 1966	5065A	Rubidium Vapor Frequency	
1410A	Plug-in Sampling Vertical			Standard	July 1968
	Amplifier, dc to 1 GHz.....	Oct. 1966	5100A/5110A	Frequency Synthesizer	
1411A	Plug-in Sampling Vertical Amplifier	Oct. 1966		(application of)	Nov. 1965
1415A	Time Domain Reflectometer				
	(application of)	Jan. 1966			
1424A	Plug-in Sampling Time Base	Oct. 1966			

PART III Model Number Index (continued)

Model	Instrument	Month/Year	Model	Instrument	Month/Year
5105A/5110B	Frequency Synthesizer	Oct. 1967	8405A	Vector Voltmeter	May 1966
5210A	Frequency Meter/FM Discriminator	Mar. 1967	8405A	Vector Voltmeter (application of)	Jan. 1967
5216A	Integrated-circuit Counter	Aug. 1967	8406A	Frequency Comb Generator	Sept. 1966
5221A	Integrated-circuit Counter	Aug. 1967	8410A, (8411A,	Network Analyzer, 0.1 to 12.4 GHz	Feb. 1967
5240A	12.4 GHz Digital Frequency Meter	Apr. 1967	8413A, 8414A, 8740A, 8741A, 8742A)		
5255A	Frequency Converter Plug-in, 3–12.4 GHz	Sept. 1966	8441A	Preselector	Jan. 1968
5256A	Frequency Converter Plug-in, 8–18 GHz	Feb. 1968	8491A, 8491B,	Coaxial Attenuators	June 1967
5257A	Transfer Oscillator Plug-in, 50 MHz–18 GHz	Feb. 1968	8492A		
5260A	Frequency Divider	Apr. 1967	8551B	Spectrum Analyzer RF Unit	Jan. 1968
5400A	Multichannel Analyzer	Mar. 1968	K15-8551B	Spectrum Analyzer Converter	Mar. 1966
5480A	Signal Analyzer and Averager	Apr. 1968	8552A/8553L	Spectrum Analyzer	Aug. 1968
5480A	Signal Analyzer and Averager (application of)	May 1968	8601A	Generator/Sweeper	Aug. 1968
5554A	Preamplifier	Mar. 1968	8875A	Data Amplifier	July 1967
5580A/B	NIM Bin	Mar. 1968	10452A		
5582A	Linear Amplifier	Mar. 1968	to	Rise Time Converter	June 1966
5583A	Single Channel Analyzer	Mar. 1968	10456A		
6130A	Digital Voltage Source	June 1968	10457A		
6933A	Digital-to-analog Converter	June 1968	10458A	50- to 75-ohm Adapter	June 1966
6945A, 6946A	Television Picture Monitor	Feb. 1968	10514A	Double-balanced Mixer, 0.2–500 Mc/s	Oct. 1965
7848A	Eight-channel Ink Recorder	July 1967	10515A	Frequency Doubler, 0.5–500 Mc/s	Oct. 1965
7858A, 7868A	Eight-channel Ink Recording Systems	July 1967	11102A		
8051A	Loudness Analyzer	Nov. 1967	to	Standard Resistors	Apr. 1966
			11105A		